



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/823,929	03/31/2001	John T. Orchard	15685P076	7551

43831 7590 08/10/2006

BERKELEY LAW & TECHNOLOGY GROUP
1700NW 167TH PLACE
SUITE 240
BEAVERTON, OR 97006

EXAMINER

DO, CHAT C

ART UNIT PAPER NUMBER

2193

DATE MAILED: 08/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/823,929	ORCHARD, JOHN T.	
	Examiner	Art Unit	
	Chat C. Do	2193	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 July 2006.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 2-5, 7-9, 11-19 and 22-49 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 2-5, 7-9, 11-19, 22-49 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This communication is responsive to Amendment filed 07/12/2006.
2. Claims 2-5, 7-9, 11-19, and 22-49 are pending in this application. Claims 2, 17, 32, and 44 are independent claims. In Amendment, claims 1, 6, 10, and 20-21 are cancelled. This Office Action is made non-final after a RCE filed 07/12/2006.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 44-46 and 49 are rejected under 35 U.S.C. 102(e) as being anticipated by Grisamore (U.S. 6,535,901).

Re claim 44, Grisamore discloses in Figures 1, 4-5, and 7 an apparatus (e.g. Figure 1 and abstract) comprising: a summing module generator (e.g. part 14, 16, and 18 in Figure 1), summing module generator being configured to: receive input terms (e.g. 1st current multiplicand 20 and 2nd current multiplicand 22 in Figure 1); perform bit-wise analysis of the input terms (e.g. col. 2 lines 35-40 and col. 3 lines 42-47); and dynamically configure a summing module (e.g. through reduction tree module 14 in

Art Unit: 2193

Figure 1), wherein the summing module, as configured, comprises: a hybrid Wallace tree comprising one or more elements (e.g. col. 2 lines 62-68), wherein the elements comprise adders with one or more associated registers and one or more other resisters (e.g. col. 1 lines 32-42 wherein appropriate registers at optimal points in each adder for pipelining and col. 1 lines 36-38), wherein the Wallace tree is configured to have a reduced number of elements to perform summing operations on the one or more input terms (e.g. col. 1 lines 42-47 and col. 2 lines 62-68); and a multi-input adder (e.g. adder 18 in Figure 1) configured to combine summation results produced by the configured summing module.

Re claim 45, Grisamore further discloses in Figures 1, 4-5, and 7 the adders comprise one or more full-adders and one or more half-adders (e.g. col. 3 lines 42-47).

Re claim 46, it is an apparatus claim of claim 3. Thus, claim 46 is also rejected under the same rationale as cited in the rejection of rejected claim 3.

Re claim 49, the hybrid Wallace tree is dynamically configured, wherein the configurations based at least in part on one or more properties of the input terms (e.g. col. 3 lines 42-49).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2193

6. Claims 2-5, 7-9, 11-12, 17-19, 22-27, and 47-48 are rejected under 35 U.S.C. 103(a) as being obvious over Grisamore (U.S. 6,535,901) in view of Chang et al. ("Hardware-efficient implementations for discrete function transforms using LUT-based FPGAs").

Re claim 2, Grisamore discloses in Figures 1, 4-5, and 7 an apparatus comprising: a plurality of inputs to receive multiple input terms (e.g. 1st current multiplicand 20 and 2nd current multiplicand 22 in Figure 1); a summing module generator (e.g. 14 and 16 in Figure 1) is coupled with the plurality of inputs, wherein the summing module generator is adapted to structure atomic elements to implement a multi-stage summing module comprising one or more full-adders and associated registers (e.g. col. 1 lines 32-42 wherein appropriate registers at optimal points in each adder for pipelining and col. 2 lines 36-40 and col. 3 lines 55-61; and inherently), half-adders (e.g. col. 1 lines 32-42 wherein appropriate registers at optimal points in each adder for pipelining and col. 2 lines 36-40 and col. 3 lines 55-61; and inherently), and single registers (e.g. col. 1 lines 32-42 wherein appropriate registers at optimal points in each adder for pipelining and col. 1 lines 36-38; and inherently), wherein the summing module is adapted to produce intermediate summation results (e.g. output of reduction tree module 14 as 1st preceding resultant 26 and 2nd preceding resultant 28) by combining the input terms (e.g. partial product terms from generator 12) according to a pipelined reduction pattern (e.g. col. 1 lines 32-41, col. 2 lines 35-42, and col. 3 lines 20-27), such that input bits of equal significance are partitioned into groups of three to serve as inputs to full-adders (e.g. col. 8 lines 20-33), remaining groups of two to serve as inputs to half-adders (e.g. col. 8 lines 20-33), and remaining single bits to serve as inputs to single registers (e.g. col. 5 lines 48-

53); wherein the summing module generator is further adapted to implement an integrated multi-input adder into the summing module, wherein the integrated multi-input adder (e.g. 18 as adder in Figure 1) includes a plurality of inputs, at least a portion of the plurality of inputs adapted to receive feedback input of accumulator bits (e.g. feedback from memory 16 in Figure 1) from one or more of the full-adders and associated registers (e.g. col. 1 lines 32-42 wherein appropriate registers at optimal points in each adder for pipelining and col. 2 lines 36-40 and col. 3 lines 55-61; and inherently), half-adders and associated registers (e.g. col. 1 lines 32-42 wherein appropriate registers at optimal points in each adder for pipelining and col. 2 lines 36-40 and col. 3 lines 55-61; and inherently), and single registers (e.g. col. 1 lines 32-42 wherein appropriate registers at optimal points in each adder for pipelining and col. 1 lines 36-38; and inherently) of the summing module and further adapted to produce a final sum (e.g. multiplied accumulated resultant 34) of the input terms by combining the intermediate summation results (e.g. output of 14). Grisamore does not disclose a dedicated logic device couple to the summing module. However, Chang et al. disclose the series of Boolean function generators as a summing module is coupled with a dedicated logic device comprising a FPGA (e.g. 2nd paragraph on the left column page 309). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the summing module couple with a dedicated logic device as seen in Chang et al.'s invention into Grisamore's invention because it would enable to reduce the hardware cost for performing logic functions (e.g. 2nd paragraph on the left column page 309).

Re claim 3, Grisamore further discloses in Figures 1, 4-5, and 7 the multiple input terms include one or more accumulator bits (e.g. 26 and 28 wherein each of these bits is the resultant bit of previous or preceding summation).

Re claim 4, Grisamore does not the summing module generator comprises a plurality of Boolean function generators, wherein the Boolean function generators comprise four-input look-up tables (LUTs) to implement Boolean logic functions. However, Chang et al. disclose in Figure 1(a) Boolean function generator comprise four-input look-up tables (LUTs) to implement Boolean logic functions (e.g. left column page 310 lines 1-5). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add a LUTs to implement Boolean logic functions as seen in Chang's invention into Grisamore's invention because it would enable to reduce the hardware cost (e.g. introduction section on page 309 lines 7-15).

Re claim 5, Grisamore further discloses in Figures 1, 4-5, and 7 the Boolean function generator pairs with an associated register to form the atomic structure of a dedicated logic device (e.g. col. 1 lines 32-42 wherein appropriate registers at optimal points in each adder for pipelining and col. 1 lines 36-38).

Re claim 7, Grisamore further discloses in Figures 1, 4-5, and 7 the multi-input adder comprises an adder (e.g. adder 18 in Figure 1) with an input for each single register in a final stage of the multiple stages of the series (e.g. col.3 lines 60-63 and Figure 5 layer 2).

Re claim 8, Grisamore further discloses in Figures 1, 4-5, and 7 the integrated multi-input adder includes a plurality of single registers to receive feedback accumulator

bits (e.g. 26 and 28 in Figure 1 and Figure 5 layer 6 as feedback from layer 2) from the multi-input adder, the accumulator bits resulting from a multiply-accumulate operation (e.g. output of 18 in Figure 1).

Re claim 9, Grisamore further discloses in Figures 1, 4-5, and 7 an accumulator coupled with the multi-input adder to feed the accumulator bits back into the summing module (e.g. feedback from output of 16 to input of reduction tree module 14 in Figure 1).

Re claims 11-12, Grisamore does not disclose in Figures 1, 4-5, and 7 the series of Boolean function generators is incorporated in a dedicated logic device comprising a FPGA and a device with control logic and a block of dedicated logic. However, Chang et al. disclose the series of Boolean function generators is incorporated in a dedicated logic device comprising a FPGA (e.g. 2nd paragraph on the left column page 309) and a device with control logic and a block of dedicated logic (e.g. control signals for controlling the block of hardware). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to implement the Boolean function generators in a dedicated logic device comprising a FPGA with control logic and a block of dedicated logic as seen in Chang et al.'s invention into Grisamore's invention because it would enable to reduce the hardware cost for performing logic functions (e.g. 2nd paragraph on the left column page 309).

Re claim 17, it is a method claim of claim 2. Thus, claim 17 is also rejected under the same rationale in the rejection of rejected claim 2.

Re claim 18, it is a method claim of claim 3. Thus, claim 18 is also rejected under the same rationale in the rejection of rejected claim 3.

Re claim 19, it is a method claim of claim 4. Thus, claim 19 is also rejected under the same rationale in the rejection of rejected claim 4.

Re claim 22, it is a method claim of claim 7. Thus, claim 22 is also rejected under the same rationale in the rejection of rejected claim 7.

Re claim 23, it is a method claim of claim 8. Thus, claim 23 is also rejected under the same rationale in the rejection of rejected claim 8.

Re claim 24, it is a method claim of claim 9. Thus, claim 24 is also rejected under the same rationale in the rejection of rejected claim 9.

Re claim 25, it is a method claim of claim 2. Thus, claim 25 is also rejected under the same rationale in the rejection of rejected claim 2.

Re claim 26, it is a method claim of claim 11. Thus, claim 26 is also rejected under the same rationale in the rejection of rejected claim 11.

Re claim 27, it is a method claim of claim 12. Thus, claim 27 is also rejected under the same rationale in the rejection of rejected claim 12.

Re claims 47-48, they have same limitations as cited in claims 11-12. Thus, claims 47-48 are also rejected under the same rationale in the rejection of rejected claim 11-12.

7. Claims 13-16 and 28-31 are rejected under 35 U.S.C. 103(a) as being obvious over Grisamore (U.S. 6,535,901) in view of Chang et al. ("Hardware-efficient implementations for

discrete function transforms using LUT-based FPGAs”), as applied to claims 2 and 17 above, in view further of Fang et al. (“A hierarchical functional structuring and partitioning approach for multiple-FPGA implementations”).

Re claims 13-16, Grisamore in view of Chang disclose in Figures 1, 4-5, and 7 an FPGA architecture to implement the one or more full-adders (e.g. Figure 3), half-adders (e.g. Figure 2), and single registers (e.g. col. 1 lines 35-40 and col. 3 lines 42-48), the architecture based at least in part on an analysis of the input terms (e.g. col. 2 lines 35-40) comprising a bit-wise analysis (e.g. col. 2 lines 33-35). Grisamore in view of Chang do not disclose in Figures 1, 4-5, and 7 a controller or a logic control module dynamically structures the atomic elements of the dedicated logic device. However, Fang et al. disclose in Figure 3 a controller or a logic control module dynamically (e.g. left column 3rd paragraph page 1189 and Module1(DP) in Figure 3 and Figure 1) structures the atomic elements of the dedicated logic device (e.g. Figure 3). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add a controller or a logic control module dynamically structures the atomic elements of the dedicated logic device as seen in Fang’s invention into Grisamore in view of Chang’s invention because it would enable an operator to dynamically program or configure a specific function in low manufacturing time and cost (e.g. first paragraph in the introduction section).

Re claim 28, it is a method claim of claim 13. Thus, claim 28 is also rejected under the same rationale in the rejection of rejected claim 13.

Re claim 29, it is a method claim of claim 14. Thus, claim 29 is also rejected under the same rationale in the rejection of rejected claim 14.

Re claim 30, it is a method claim of claim 16. Thus, claim 30 is also rejected under the same rationale in the rejection of rejected claim 16.

Re claim 31, it is a method claim of claim 15. Thus, claim 31 is also rejected under the same rationale in the rejection of rejected claim 15.

8. Claims 32, 36-38, and 42-43 are rejected under 35 U.S.C. 103(a) as being obvious over Grisamore (U.S. 6,535,901) in view of Greenberger (U.S. 6,411,979).

Re claim 32, Grisamore discloses in Figures 1, 4-5, and 7 a method for performing arithmetic comprising: generating a plurality of partial products from two or more input terms (e.g. partial product generator 12 in Figure 1); that implements in one or more full-adders and associated registers, half-adders and associated registers, and single registers to produce intermediate summation results by combining the partial products (e.g. col. 1 lines 32-42 wherein appropriate registers at optimal points in each adder for pipelining and col. 2 lines 35-40); determining the structure of the Boolean function generators based, at least in part, on one or more attributes of the input terms (e.g. col. 8 lines 20-30); receiving in both branches accumulator bits over a feedback path (e.g. 26 and 28), wherein the accumulator bits are respectively provided to an integrated multi-input adder; and adding (e.g. adder 18 in Figure 1) the intermediate summation results with the accumulator bits for each branch to produce a final components sum (e.g. output of adder 18 in Figure 1). Grisamore does not implicitly disclose two paths one for a real-

component branch, inverting certain partial products and passing the inverted and non-inverted partial products and one for an imaginary-component branch, passing the partial products to a multi-stage series of Boolean function generators simultaneously.

However, Greenberger clearly discloses in Figure 2 a complex arithmetic operation comprising two paths (e.g. real and imaginary wherein label with Zr and Zi) one for a real-component branch (e.g. left side of Figure 2) inverting certain partial products (e.g. 34.1 for subtraction) and passing the inverted and non-inverted partial products and one for an imaginary-component branch (e.g. right side of Figure 2), passing the partial products (e.g. 34.2 for addition). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add two paths one for a real-component branch, inverting certain partial products and passing the inverted and non-inverted partial products and one for an imaginary-component branch, passing the partial products as seen in Greenberger's invention into Grisamore's invention because it would enable to reduce the complexity of processing the complex operands and the area in an integrated circuit (e.g. col. 3 lines 38-42 and col. 4 lines 45-52).

Re claim 36, Grisamore further discloses in Figures 1, 4-5, and 7 generating a plurality of partial product terms comprises combining the two or more inputs in a combinatorial stage of a complex multiply accumulator (e.g. Figure 1 as multiplication).

Re claim 37, Grisamore further discloses in Figures 1, 4-5, and 7 analyzing one or more attributes of the input terms (e.g. col. 2 lines 35-40).

Re claim 38, Grisamore further discloses in Figures 1, 4-5, and 7 analyzing the one or more attributes of the input terms comprises performing a bit-wise analysis of the

input terms (e.g. col. 2 lines 33-35 wherein the bit-wise is logical function of the partial products).

Re claim 42, Grisamore further discloses in Figures 1, 4-5, and 7 the multi-stage series of Boolean function generators are pipelined (e.g. Figure 5 wherein the reduction stage goes from high to low; e.g. 6, 4, 2... and col. 1 lines 32-41).

Re claim 43, Grisamore further discloses in Figures 1, 4-5, and 7 the partial products of the two or more input terms are reduced according to a pattern structured (e.g. col. 2 lines 35-43) by partitioning bits of equal significance into groups of three to be passed as inputs to the full-adders, remaining groups of two to be passed ms inputs to the half-adders (e.g. col. 8 lines 20-30), and remaining single bits to be passed to single registers (e.g. col. 5 lines 48-53).

9. Claims 33-35 are rejected under 35 U.S.C. 103(a) as being obvious over Grisamore (U.S. 6,535,901) in view of Greenberger (U.S. 6,411,979), as applied to claim 32 above, in further view of Chang et al. ("Hardware-efficient implementations for discrete function transforms using LUT-based FPGAs").

Re claims 33-35, Grisamore in view of Greenberger do not disclose in Figures 1, 4-5, and 7 the series of Boolean function generators is incorporated in a dedicated logic device comprising a FPGA and a device with control logic and a block of dedicated logic. However, Chang et al. disclose the series of Boolean function generators is incorporated in a dedicated logic device comprising a FPGA (e.g. 2nd paragraph on the left column page 309) and a device with control logic and a block of dedicated logic (e.g. control

signals for controlling the block of hardware. Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to implement the Boolean function generators in a dedicated logic device comprising a FPGA with control logic and a block of dedicated logic as seen in Chang et al.'s invention into Grisamore in view of Greenberger's invention because it would enable to reduce the hardware cost for performing logic functions (e.g. 2nd paragraph on the left column page 309).

10. Claims 39-41 are rejected under 35 U.S.C. 103(a) as being obvious over Grisamore (U.S. 6,535,901) in view of Greenberger (U.S. 6,411,979) in further view of Chang et al. ("Hardware-efficient implementations for discrete function transforms using LUT-based FPGAs"), as applied to claim 37 above, and in further view of Fang et al. ("A hierarchical functional structuring and partitioning approach for multiple-FPGA implementations").

Re claims 39-41, Grisamore in view of Greenberger in further view of Chang et al. disclose in Figures 1, 4-5, and 7 a dedicated logic architecture to implement the one or more full-adders (e.g. Figure 3), half-adders (e.g. Figure 2), and single registers (e.g. col. 1 lines 35-40 and col. 3 lines 42-48), the architecture based at least in part on an analysis of the input terms (e.g. col. 2 lines 35-40) comprising a bit-wise analysis (e.g. col. 2 lines 33-35). Grisamore in view of Greenberger in further view of Chang et al. do not disclose in Figures 1, 4-5, and 7 a controller or a logic control module dynamically structures the atomic elements of the dedicated logic device. However, Fang et al. disclose in Figure 3 a controller or a logic control module dynamically (e.g. left column 3rd paragraph page 1189 and Module1(DP) in Figure 3 and Figure 1) structures the atomic elements of the

dedicated logic device (e.g. Figure 3). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add a controller or a logic control module dynamically structures the atomic elements of the dedicated logic device as seen in Fang's invention into Grisamore in view of Greenberger in further view of Change et al.'s invention because it would enable an operator to dynamically program or configure a specific function in low manufacturing time and cost (e.g. first paragraph in the introduction section).

Response to Amendment

11. The amendment filed 07/12/2006 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows:

In all independent claims 2, 17, 32, and 44, the "integrated" multi-input adder is not seen in the original specification.

Applicant is required to cancel the new matter in the reply to this Office Action.

Response to Arguments

12. Applicant's arguments filed 07/12/2006 have been fully considered but they are not persuasive.

a. The applicant argues repeated in page 13 last paragraph to page 14 first paragraph for all independent claims that the cited reference by Grisamore fails to disclose one or

more full-adders and associated registers, half-adders and associated registers, and single registers.

The examiner respectfully submits that the primary reference by Grisamore clearly discloses all the full-adders and half-adders. In addition, the examiner had previously stated that the corresponded or associated registers of each adders in pipeline architecture is conventional and well-known in the art as clearly and briefly mentioned in the background section of the cited reference. Again, the information cites in column 1 lines 32-41, column 3 lines 19-27, and column 6 lines 60-68 either inherently or expressively indicates there must be at least a corresponding registers with the adders (e.g. col. 6 lines 60-68) in the pipelined multiplier at optimal points for efficiently operated in pipelined architecture. Without these corresponded or associated registers at optimal points within the array multiplier, the pipeline will be out of sync and inefficiently in producing result. In addition as clearly addressed in the previous argument, the pipelined architecture of an array multiplier must have corresponded or associated registers to store the partial results of each adder before loading into the next stage of pipeline wherein the associated registers are the corresponding registers at optimal points within the array multiplier. To further support the examiner's allegation, the examiner respectfully submits the following found prior arts which discloses the associated registers with adders in the pipeline manner (e.g. U.S. 6,591,286; U.S. 6,519,621; and U.S. 4,887,233).

- b. The applicant argues in page 14 last paragraph that the cited reference by Grisamore fails to disclose an integrated multi-input adder into the summing module, but rather the cited adder is a separate component utilized to perform adding functions.

The examiner respectfully submits that the limitation “integrated multi-input adder” is considered as new subject matter in the original specification. Even though the “integrated multi-input adder” is originally existed, the cited reference by Grisamore also discloses the “integrated multi-input adder” in Figure 1 part 14 wherein each adder in the reduction tree has at least two input terminals for receiving multi-bits and the examiner considers the whole Figure 1 as a single circuit. Thus, the circuit as seen in Figure 1 is integrated. In addition, any adder is considered as a multi-input adder because the adder requires at least two inputs for adding.

- c. The applicant argues in pages 15-19 generally that the combination of references is improper because neither individual of the combined references fails to disclose the limitations “one or more full-adders and associated registers, half-adders and associated registers, and single registers” as cited in the claimed invention.

The examiner respectfully submits that the limitations “one or more full-adders and associated registers, half-adders and associated registers, and single registers” are clearly addressed in above rejection, response to argument, and also in the previous Office action wherein the primary reference by Grisamore either inherently or expressively discloses the limitations. The combined references are

used to further support the missing element(s)/limitation(s) from the primary reference. For instant, the primary reference fails to disclose the limitations “simultaneously passing the partial products from the two or more input terms to a multi-stage series of Boolean function generators” however the Figure 2 in the secondary reference by Greenberger clearly discloses with parts 34.1 and 34.2.

Conclusion

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- d. U.S. Patent No. 6,591,286 to Lu discloses a pipelined carry-lookahead generation for a fast incrementer.
- e. U.S. Patent No. 6,519,621 to Yano discloses an arithmetic circuit for accumulative operation.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chat C. Do whose telephone number is (571) 272-3721. The examiner can normally be reached on M => F from 7:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chaki Kakali can be reached on (571) 272-3719. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2193

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Chat C. Do
Examiner
Art Unit 2193

August 7, 2006

A handwritten signature in black ink, appearing to read 'Chat C. Do', with a large, sweeping loop at the end.